

Miele

Design Guide

30" Wide Built-In Combinations



Design Guide

Sections

Single Installation	3
Under-Counter Installation	17
Tower Installation	27
Tower Installation with Warming Drawer	37
Side-by-Side Installation	69
Side-by-Side Installation with Warming Drawer	72
Handle Dimensions.....	75



Single Installation


Proud Installation

24" Speed Oven + Trim Kit	4
30" Speed Oven	5
24" Convection Oven + Trim Kit	6
30" Convection Oven	7
30" Double Convection Oven	8
30" Warming Drawer ESW 6x80	9


24" Speed Oven + Trim Kit

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation



Electrical and water supplies are recommended to be placed in adjacent cabinetry.
Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Speed Oven

Proud Installation


Isometric View




Electrical Plug Details



Side View



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation



Electrical and water supplies are recommended to be placed in adjacent cabinetry.
Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


24" Convection Oven + Trim Kit

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Convection Oven

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation



Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.


30" Double Convection Oven

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.


30" Warming Drawer ESW 6x80

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

E Electrical connection

*Please refer to product manual or specification sheet for additional product details.



Single Installation


Flush Installation

24" Speed Oven + Trim Kit	11
30" Speed Oven.....	12
24" Convection Oven + Trim Kit.....	13
30" Convection Oven.....	14
30" Double Convection Oven.....	15
30" Warming Drawer ESW 6x80.....	16


24" Speed Oven + Trim Kit

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Speed Oven

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


24" Convection Oven + Trim Kit

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation



Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Convection Oven

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.


30" Double Convection Oven

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.


30" Warming Drawer ESW 6x80

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

E Electrical connection

*Please refer to product manual or specification sheet for additional product details.



Under-Counter Installation


Proud Installation

24" Speed Oven + Trim Kit	18
30" Speed Oven	19
24" Convection Oven + Trim Kit.....	20
30" Convection Oven.....	21


24" Speed Oven + Trim Kit

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Speed Oven

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


24" Convection Oven + Trim Kit

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation



Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Convection Oven

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.



Under-Counter Installation


Flush Installation

24" Speed Oven + Trim Kit	23
30" Speed Oven	24
24" Convection Oven + Trim Kit.....	25
30" Convection Oven.....	26


24" Speed Oven + Trim Kit

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Speed Oven

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


24" Convection Oven + Trim Kit

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Convection Oven

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.



Tower Installation


Proud Installation

24" Speed Oven + Trim Kit + 24" Convection Oven + Trim Kit	28
30" Speed Oven + 24" Convection Oven + Trim Kit	29
24" Speed Oven + Trim Kit + 30" Convection Oven	30
30" Speed Oven + 30" Convection Oven..	31


24" Speed Oven + Trim Kit + 24" Convection Oven + Trim Kit

Proud Installation


Isometric View




Electrical Plug Details




Side View



Additional Details




- | | |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A | Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation |
|  | Electrical and water supplies are recommended to be placed in adjacent cabinetry.
Additional cabinet depth is required when placing the electrical and water supplies behind the appliance. |
| E | Electrical connection |

*Please refer to product manual or specification sheet for additional product details.


30" Speed Oven + 24" Convection Oven + Trim Kit

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details




- A** Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation
- !** Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.
- E** Electrical connection

*Please refer to product manual or specification sheet for additional product details.


24" Speed Oven + Trim Kit + 30" Convection Oven

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.


30" Speed Oven + 30" Convection Oven

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.



Tower Installation


Flush Installation

24" Speed Oven + Trim Kit + 24" Convection Oven + Trim Kit	33
30" Speed Oven + 24" Convection Oven + Trim Kit	34
24" Speed Oven + Trim Kit + 30" Convection Oven	35
30" Speed Oven + 30" Convection Oven..	36


24" Speed Oven + Trim Kit + 24" Convection Oven + Trim Kit

Flush Installation


Isometric View



Electrical Plug Details




A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation


 Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

E Electrical connection

Side View




Additional Details




30" Speed Oven + 24" Convection Oven + Trim Kit

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


24" Speed Oven + Trim Kit + 30" Convection Oven

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm] in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.


30" Speed Oven + 30" Convection Oven

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.



Tower Installation
with Warming Drawer *(Two Appliances)*

Proud Installation

24" Speed Oven + Trim Kit + ESW 6x85	38
24" Speed Oven + Trim Kit + ESW 6x80	39
30" Speed Oven + ESW 6x85	40
30" Speed Oven + ESW 6x80	41
24" Convection Oven + Trim Kit + ESW 6x80	42
30" Convection Oven + ESW 6x80	43

Proud Installation

Technical drawing of a rectangular box with the following dimensions:

- Top width: 24" (≥610 mm)
- Height: 27 1/2" (698 mm)
- Depth: 28 1/2" (724 mm)

Technical drawing of a mechanical part with dimensions in inches and millimeters. The drawing includes a main view and three circular detail views.

Dimensions:

- Top horizontal dimension: $\frac{7}{8}"$ (22-23 mm)
- Top vertical dimension: $\frac{7}{16}"$ (10.8 mm)
- Left vertical dimension: $\frac{9}{32}"$ (248 mm)
- Left vertical dimension: $17 \frac{1}{2}"$ (444.7 mm)
- Horizontal dimension between vertical lines: $21 \frac{11}{16}"$ (550.8 mm)
- Horizontal dimension between vertical lines: $23 \frac{3}{4}"$ (602.8 mm)
- Horizontal dimension between vertical lines: $13 \frac{1}{8}"$ (333 mm)
- Horizontal dimension between vertical lines: $4 \frac{3}{8}"$ (111.5 mm)
- Horizontal dimension between vertical lines: $17 \frac{15}{16}"$ (455.5 mm)
- Horizontal dimension between vertical lines: $9 \frac{3}{16}"$ (234 mm)
- Horizontal dimension between vertical lines: $\frac{3}{16}"$ (4 mm)
- Horizontal dimension between vertical lines: $\frac{1}{8}"$ (3 mm)
- Horizontal dimension between vertical lines: $\frac{3}{16}"$ (4 mm)

Diagram illustrating the dimensions and components of the ESW unit:

- The main unit is shown with a width of $24''$ ($\approx 610 \text{ mm}$).
- A warning symbol (exclamation mark) is present, indicating a critical note.
- The unit is divided into sections, with a specific section labeled **A**.
- Two cross-sectional views are provided:
 - The top cross-section shows a width of $1 \frac{3}{4}''$ (43 mm).
 - The bottom cross-section shows a width of $1 \frac{3}{8}''$ (35 mm) and is labeled **ESW**.

Technical drawings of three types of boxes with dimensions in inches and millimeters:


- Standard Box:**
 - Length: $29 \frac{13}{16}''$ (757 mm)
 - Height: $17 \frac{15}{16}''$ (455.5 mm)
- Box with Lid:**
 - Length: $29 \frac{13}{16}''$ (757 mm)
 - Lid Height: $9 \frac{3}{16}''$ (234 mm)
- Box with Lid and Handle:**
 - Length: $29 \frac{13}{16}''$ (757 mm)
 - Lid Height: $9 \frac{3}{4}''$ (248 mm)
 - Handle Height: $3 \frac{1}{4}''$ (19 mm)
 - Bottom Height: $4 \frac{5}{16}''$ (109 mm)
 - Total Height: $26 \frac{1}{8}''$ (664 mm)

- *Please refer to product manual or specification sheet for additional product details.


24" Speed Oven + Trim Kit + ESW 6x80

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation


! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

E Electrical connection


*Please refer to product manual or specification sheet for additional product details.

Proud Installation


Isometric View




Electrical Plug Details




Side View



Additional Details




- | | |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A | Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation |
|  | Electrical and water supplies are recommended to be placed in adjacent cabinetry.
Additional cabinet depth is required when placing the electrical and water supplies behind the appliance. |
| E | Electrical connection |


30" Speed Oven + ESW 6x80

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation



Electrical and water supplies are recommended to be placed in adjacent cabinetry.
Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


24" Convection Oven + Trim Kit + ESW 6x80

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation



Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Convection Oven + ESW 6x80

Proud Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.



Tower Installation with Warming Drawer *(Two Appliances)*


Flush Installation

24" Speed Oven + Trim Kit + ESW 6x85	45
24" Speed Oven + Trim Kit + ESW 6x80	46
30" Speed Oven + ESW 6x85	47
30" Speed Oven + ESW 6x80	48
24" Convection Oven + Trim Kit + ESW 6x80	49
30" Convection Oven + ESW 6x80	50


24" Speed Oven + Trim Kit + ESW 6x85

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


24" Speed Oven + Trim Kit + ESW 6x80

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Speed Oven + ESW 6x85

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Speed Oven + ESW 6x80

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


24" Convection Oven + Trim Kit + ESW 6x80

Flush Installation


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

E Electrical connection

*Please refer to product manual or specification sheet for additional product details.



Tower Installation with Warming Drawer *(Three Appliances)*


Proud Installation

24" Convection Oven + Trim Kit + 24" Speed Oven + Trim Kit + ESW 6x85.....	52
24" Speed Oven + Trim Kit + 24" Convection Oven + Trim Kit + ESW 6x80	53
24" Convection Oven + Trim Kit + 30" Speed Oven + ESW 6x85	54
30" Speed Oven + 24" Convection Oven + Trim Kit + ESW 6x80	55
30" Convection Oven + 24" Speed Oven + Trim Kit + ESW 6x85.....	56
24" Speed Oven + Trim Kit + 30" Convection Oven + ESW 6x80	57
30" Convection Oven + 30" Speed Oven + ESW 6x85	58
30" Speed Oven + 30" Convection Oven + ESW 6x80	59


24" Convection Oven + Trim Kit + 24" Speed Oven + Trim Kit + ESW 6x85

Proud


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


24" Speed Oven + Trim Kit + 24" Convection Oven + Trim Kit + ESW 6x80

Proud


Isometric View




Side View



Electrical Plug Details



Additional Details




- A** Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation
- !** Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.
- E** Electrical connection

*Please refer to product manual or specification sheet for additional product details.


24" Convection Oven + Trim Kit + 30" Speed Oven + ESW 6x85

Proud


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Speed Oven + 24" Convection Oven + Trim Kit + ESW 6x80

Proud


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation



Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Convection Oven + 24" Speed Oven + Trim Kit + ESW 6x85

Proud


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.


24" Speed Oven + Trim Kit + 30" Convection Oven + ESW 6x80

Proud


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

⚠ Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.


30" Convection Oven + 30" Speed Oven + ESW 6x85

Proud


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation



Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.


30" Speed Oven + 30" Convection Oven + ESW 6x80

Proud


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

⚠ Electrical and water supplies are recommended to be placed in adjacent cabinetry.
Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.



Tower Installation with Warming Drawer *(Three Appliances)*


Flush Installation

24" Convection Oven + Trim Kit + 24" Speed Oven + Trim Kit + ESW 6x85.....	61
24" Speed Oven + Trim Kit + 24" Convection Oven + Trim Kit + ESW 6x80	62
24" Convection Oven + Trim Kit + 30" Speed Oven + ESW 6x85	63
30" Speed Oven + Trim Kit + 24" Convection Oven + ESW 6x80	64
30" Convection Oven + 24" Speed Oven + Trim Kit + ESW 6x85.....	65
24" Speed Oven + Trim Kit + 30" Convection Oven + Trim Kit + ESW 6x80	66
30" Convection Oven + 30" Speed Oven + ESW 6x85	67
30" Speed Oven + 30" Convection Oven + ESW 6x80	68


24" Convection Oven + Trim Kit + 24" Speed Oven + Trim Kit + ESW 6x85

Flush


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


24" Speed Oven + Trim Kit + 24" Convection Oven + Trim Kit + ESW 6x80

Flush


Isometric View




Side View



Electrical Plug Details



Additional Details




- A** Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation
- !** Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.
- E** Electrical connection

*Please refer to product manual or specification sheet for additional product details.


24" Convection Oven + Trim Kit + 30" Speed Oven + ESW 6x85

Flush


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Speed Oven + 24" Convection Oven + Trim Kit + ESW 6x80

Flush


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection

*Please refer to product manual or specification sheet for additional product details.


30" Convection Oven + 24" Speed Oven + Trim Kit + ESW 6x85

Flush


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.


24" Speed Oven + Trim Kit + 30" Convection Oven + ESW 6x80

Flush


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation

! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.


30" Convection Oven + 30" Speed Oven + ESW 6x85

Flush


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation



Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.


30" Speed Oven + 30" Convection Oven + ESW 6x80

Flush

Isometric View



Electrical Plug Details




A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation


! Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

E Electrical connection | **W** Water connection

Side View



Additional Details





Side-by-Side Installation


Proud & Flush Installation

30" Convection Oven (x2) (Proud)	70
30" Convection Oven (x2) (Flush)	71


30" Convection Oven (x2)

Proud


Isometric View




Side View



Electrical Plug Details



Additional Details



A Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation



Electrical and water supplies are recommended to be placed in adjacent cabinetry.
Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

E Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.



Side-by-Side Installation with Warming Drawer


Proud & Flush Installation

30" Convection Oven + 30" Speed Oven + ESW 6x85 (Proud)	73
30" Convection Oven + 30" Speed Oven + ESW 6x85 (Flush)	74


30" Convection Oven + 30" Speed Oven + ESW 6x85

Proud


Isometric View




Side View




Electrical Plug Details



Additional Details




- A** Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation
 -  Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.
 - E** Electrical connection **W** Water connection


30" Convection Oven + 30" Speed Oven + ESW 6x85

Flush


Isometric View




Side View



Electrical Plug Details



Additional Details



- A** Cutout (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for power cord and ventilation
- !** Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.
- E** Electrical connection | **W** Water connection

*Please refer to product manual or specification sheet for additional product details.




Handle Dimensions

Comfort Handle	76
ComfortSwivel Handle	77
Silhouette and Signature Handle.....	78

Comfort Handle

Isometric View




Direct Select Appliances

- ① 22 1/16" / 560 mm
- ② 17 1/2" / 444 mm
- ③ 2 5/16" / 59 mm
- ④ 1 3/8" / 35 mm
- ⑤ 1 3/16" / 39 mm

ComfortSwivel Handle

Isometric View




SensorTronic + M Touch Appliances

- ① 22 1/16" / 560 mm
- ② 17 1/2" / 444 mm
- ③ 2 7/8" / 73 mm
- ④ 1 3/8" / 35 mm
- ⑤ 1 11/16" / 43 mm

Silhouette and Signature Handle

Isometric View



24" Convection Oven + DGC XXL

H6660BP

- ① 22 1/16" / 560 mm
- ② 17 1/2" / 444 mm
- ③ 1 5/8" / 42 mm
- ④ 1 3/8" / 35 mm
- ⑤ 1 3/16" / 39 mm

30" Speed Oven

H6280BP, H6680BP, H6880BP

- 22 1/16" / 560 mm
- 17 1/2" / 444 mm
- 1 5/8" / 42 mm
- 1 3/8" / 35 mm
- 1 11/16" / 43 mm

24" Speed Oven + DGC XXL, DG, M

H6200BM, H6600BM, H6800BM

- 22 1/16" / 560 mm
- 17 1/2" / 444 mm
- 1 5/8" / 42 mm
- 1 3/8" / 35 mm
- 1 3/16" / 39 mm

30" Double Ovens, 30" Speed Ovens

H6880BP2, H6670BM, H6870BM

- 22 1/16" / 560 mm
- 17 1/2" / 444 mm
- 1 5/8" / 42 mm
- 1 3/8" / 35 mm
- 1 5/8" / 42 mm

