

Miele

MasterCool Refrigeration
Side-by-Side Merging Combinations
For Vi Models

KSK 2002



Side-by-Side Merging Kit KSK 2002

SPECIFICATIONS

Electrical

Power Cord Direct connection to left-standing appliance

Support

Call Miele (800) 999-1360

Miele Website www.mieleusa.com

20/20 Link 2020technologies.com




KSK 2002
Item 38996071USA

The merging kit should be used for side-by-side installation of Miele MasterCool units.


Side-by-Side Merging Kit KSK 2002

MERGING STYLE

Merged with a partition



Merged together



PARTITION SPECIFICATIONS

If the partition wall 'a' is narrower than 6 5/16" (16 mm), a heating mat ① from the merging kit to prevent condensation from forming and any resulting damage.

Partition Dimension 'a':

Min. Partition Thickness	5/8"
Max. Partition Thickness	6 5/16" (160 mm)

When planning niches, please note that the niche into which the appliance with the side panel heater ① is installed must be **1/8"-1/4" (3-5 mm)** wider.


If the door hinges of the refrigeration appliances are next to each other, you must take into account the thickness of the cabinet fronts and door handles so that the appliance doors do not collide and become damaged if they are opened at the same time.

MERGING SPECIFICATIONS

Maximum allowed amount of units merged	3
--	---

The door hinges of the appliances must not be located next to each other, otherwise the appliance doors will collide and become damaged if they are opened at the same time.

Product and Cut-out Dimensions 48" Side-by-Side Combination



Location Codes


E- power cord for refrigeration unit- 5 foot- NEMA 5-15 molded plug power supply connects lower left rear of units

Notes

- Merging kit must be used when combining units
- All installations must be done in accordance with local codes
- Sides of adjoining cabinets should be filled (flush to frame) to insure proper fit and finish
- For Proud Installation - please adjust accordingly

*Depth assumes a 3/4" panel, please adjust according to custom panel thickness

Product and Cut-out Dimensions 48" Side-by-Side Combination



Location Codes


E- power cord for refrigeration unit- 5 foot- NEMA 5-15 molded plug power supply connects lower left rear of units

Notes

- Merging kit must be used when combining units
- All installations must be done in accordance with local codes
- Sides of adjoining cabinets should be filled (flush to frame) to insure proper fit and finish
- For Proud Installation - please adjust accordingly

*Depth assumes a 3/4" panel, please adjust according to custom panel thickness

Product and Cut-out Dimensions 54" Side-by-Side Combination



Location Codes


E- power cord for refrigeration unit- 5 foot- NEMA 5-15 molded plug power supply connects lower left rear of units

Notes

- Merging kit must be used when combining units
- All installations must be done in accordance with local codes
- Sides of adjoining cabinets should be filled (flush to frame) to insure proper fit and finish
- For Proud Installation - please adjust accordingly

*Depth assumes a 3/4" panel, please adjust according to custom panel thickness

Product and Cut-out Dimensions 60" Side-by-Side Combination



Location Codes

E- power cord for refrigeration unit- 5 foot- NEMA 5-15 molded plug power supply connects lower left rear of units


Notes

- Merging kit must be used when combining units
- All installations must be done in accordance with local codes
- Sides of adjoining cabinets should be filled (flush to frame) to insure proper fit and finish
- For Proud Installation - please adjust accordingly

*Depth assumes a 3/4" panel, please adjust according to custom panel thickness

Product and Cut-out Dimensions 60" Side-by-Side Combination

FOR FLUSH INSTALLATION



Location Codes


E- power cord for refrigeration unit- 5 foot- NEMA 5-15 molded plug power supply connects lower left rear of units

Notes

- Merging kit must be used when combining units
- All installations must be done in accordance with local codes
- Sides of adjoining cabinets should be filled (flush to frame) to insure proper fit and finish
- For Proud Installation - please adjust accordingly

*Depth assumes a 3/4" panel, please adjust according to custom panel thickness

Product and Cut-out Dimensions 66" Side-by-Side Combination



Location Codes


E- power cord for refrigeration unit- 5 foot- NEMA 5-15 molded plug power supply connects lower left rear of units

Notes

- Merging kit must be used when combining units
- All installations must be done in accordance with local codes
- Sides of adjoining cabinets should be filled (flush to frame) to insure proper fit and finish
- For Proud Installation - please adjust accordingly

*Depth assumes a 3/4" panel, please adjust according to custom panel thickness

Product and Cut-out Dimensions 72" Side-by-Side Combination



Location Codes

E- power cord for refrigeration unit- 5 foot- NEMA 5-15
molded plug power supply connects lower left rear of units

Notes

- Merging kit must be used when combining units
- All installations must be done in accordance with local codes
- Sides of adjoining cabinets should be filled (flush to frame) to insure proper fit and finish
- For Proud Installation - please adjust accordingly

*Depth assumes a 3/4" panel, please adjust according to custom panel thickness