


Product and Cut-out Dimensions Plumbed Built-in Coffee System CVA4066



Location Codes

- E - 5 foot - 120 Volt - 15 Amp 3-wire molded plug connects left upper rear.
- W - 1/4 copper compression fitting connects right lower rear.
- O - Standard NEMA 5-15 outlet. **Do not locate at point of water connection.** Location must be accessible.

Notes

- Width with optional EBA Trim Kits:
 - EBA5470MC 26" - 26 1/4"
 - EBA5476MC 28 3/8" - 28 1/2"
- Unit depth includes 2 1/8" for water connection
- All installations must be done in accordance with local codes.

NOTE: Drawing is not to scale.
SPECIFICATION SHEETS 010409

Product Dimensions



Plumbed Built-in Coffee System

CVA4066



Rear View

Side View




Location Codes

- E - 5 foot - 120 Volt - 15 Amp 3-wire molded plug.
- W - 1/4 copper compression connection fitting rotates 360 degrees

NOTE: Drawing is not to scale.
SPECIFICATION SHEETS 010409

Product and Cut-out Dimensions Plumbed Built-in Coffee System CVA 4066 over H4XXX Oven



Location Codes	
E -	5 foot - 120 Volt - 15 Amp 3-wire molded plug connects left upper rear.
W -	1/4 copper compression fitting connects right lower rear.
O -	Standard NEMA 5-15 outlet. Do not locate at point of water connection. Location must be accessible.
Notes	
<ul style="list-style-type: none"> Width with optional EBA Trim Kits: EBA5470MC 26" - 26 1/4" EBA5476MC 28 3/8" - 28 1/2" Unit depth includes 2 1/8" for water connection All installations must be done in accordance with local codes. 	

NOTE: Drawing is not to scale.
SPECIFICATION SHEETS 010409