


PureLine Truffle Brown  
30" Convection Oven

H 6680 BP HVBR



# PureLine 30" Convection Oven

## H 6680 BP HVBR



### H 6680 BP

#### Features:

- SensorTronic controls: 5-line TFT display with laterally positioned sensor controls that clearly present menu content
- Self Clean Oven
- 18 Operating Modes
- Rapid PreHeat
- MasterChef menu offers over 100 food types to cook to perfection
- Roast Probe for perfect roasting results
- Favorites — up to 20 recipes
- Sabbath Program
- CleanGlass Door
- Timer
- TwinPower Fans provide optimum and even distribution of hot air
- Soft Open and Soft Close for an easier handling
- The simple yet sleek Silhouette handle seems to float enhancing its modern design lines

#### SPECIFICATIONS

##### H 6680 BP HVBR — Item 22668003USA

|                                                  |                                                                                                                                         |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Overall Unit Width - Excluding Fascia Dimension  | 28 <sup>7</sup> / <sub>16</sub> " (722 mm)                                                                                              |
| Overall Height - Excluding Fascia Dimension      | 27 <sup>3</sup> / <sub>4</sub> " (705 mm)                                                                                               |
| Overall Unit Depth - Excluding Fascia Dimensions | 23 <sup>3</sup> / <sub>4</sub> " (603 mm)                                                                                               |
| Oven Door Clearance                              | 22" (558 mm)                                                                                                                            |
| Overall Fascia Dimensions                        | 29 <sup>13</sup> / <sub>16</sub> " (757 mm) W x 28 <sup>5</sup> / <sub>8</sub> " (727 mm) H x 7 <sup>7</sup> / <sub>8</sub> " (22 mm) D |
| <b>Built-In</b>                                  |                                                                                                                                         |
| Minimum Cabinet Width                            | 28 <sup>1</sup> / <sub>2</sub> " (724 mm)                                                                                               |
| Minimum Cabinet Depth                            | 24" (610 mm)                                                                                                                            |
| Minimum Cabinet Opening Height                   | 28 <sup>1</sup> / <sub>4</sub> " (718 mm)                                                                                               |
| Minimum Base Support                             | 193 lbs                                                                                                                                 |
| Additional Cut-outs Required                     | Venting cut-out required at base of cabinet (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation    |
| <b>Electrical</b>                                |                                                                                                                                         |
| Electrical Requirements                          | 208/240V, 30A, 60Hz                                                                                                                     |
| Power Cord                                       | Yes - NEMA 14-30 plug 6 ft (1.8 m)                                                                                                      |
| Electrical Rating                                | 120/208V, 30A, 60Hz, 5000w<br>120/240V, 30A, 60Hz, 6700w                                                                                |
| Total Amps                                       | 28A (240V) / 24A (208V)                                                                                                                 |
| <b>Shipping</b>                                  |                                                                                                                                         |
| Shipping Weight                                  | 216 lbs                                                                                                                                 |
| Shipping Dimensions                              | 32 <sup>11</sup> / <sub>16</sub> " W x 35 <sup>1</sup> / <sub>16</sub> " H x 30 <sup>5</sup> / <sub>16</sub> " L                        |
| <b>Support</b>                                   |                                                                                                                                         |
| Call Miele                                       | 800.843.7231                                                                                                                            |
| Miele Website                                    | <a href="http://www.mieleusa.com">www.mieleusa.com</a>                                                                                  |
| 20/20 Link                                       | <a href="http://2020technologies.com">2020technologies.com</a>                                                                          |



# PureLine 30" Convection Oven H 6680 BP HVBR



## HANDLE SPECIFICATIONS

**Comfort Handle:**  
Standard with ContourLine  
(DS 6708 Item #09828380)

**ComfortSwivel Handle:**  
Optional for ContourLine  
Optional for PureLine  
(DS 6718 Item # 09828390)

Comfort Handle  
standard on  
H 6180 BP

ComfortSwivel Handle  
standard on  
H 6580 BP

**Silhouette Handle:**  
Standard with Pureline  
Optional for Contourline  
(DS 6808 Item # 09828400)

Silhouette Handle  
standard on  
H 6280 BP and  
H 6680 BP

**Silhouette Handle (Chrome):**  
Standard with BrilliantWhite  
(DS 6808 Item # 09828410)


**Silhouette Handle:**  
Standard with Truffle Brown  
(DS 6808 Item # 09870690)

# PureLine 30" Convection Oven H 6680 BP HVBR




## PRODUCT VIEWS

Isometric



Front




# PureLine 30" Convection Oven H 6680 BP HVBR




## PRODUCT VIEWS

Top View



Rear View






# PureLine 30" Convection Oven H 6680 BP HVBR



## INSTALLATION SPECIFICATIONS

### Undercounter Installation



Ⓐ Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation

Ⓑ Power cord with plug

\* Oven with glass front

\*\* Oven with metal front

### Undercounter Installation Front view Installed

