

ESW 7670 - Graphite Grey 30" Handless Warming Drawer - VitroLine

Features:

- Keep food or plates and cups warm
- Fits 12 place settings
- Non-Slip Liner
- Control Panel with sensor controls




MATERIAL

11794820

SPECIFICATIONS	
Overall Unit Dimensions	29 ¹³ / ₁₆ " (757 mm) W x 9 ³ / ₄ " (248 mm) H x 21 ³ / ₄ " (542 mm) D
Niche	
Cabinet Niche Opening with Combination Appliance	21 ¹ / ₂ " (724 mm) W x Combination Appliance Opening Height + 9 ³ / ₄ " (248 mm) H x 24" (610 mm) D
Electrical	
Electrical Requirements	120V, 60Hz, 15 Amps
Power Cord	NEMA 5-15 plug, 5 ft (1.52 m)
Shipping	
Shipping Weight	70.5 lbs (32 kg)
Shipping Dimensions	28 ³ / ₈ " (745 mm) W x 14 ⁹ / ₁₆ " (370 mm) H x 33 ⁵ / ₁₆ " (845 mm) D


PRODUCT DIMENSIONS






E = Electrical connection

FLUSH CUTOUT DIMENSIONS

Front View



Side View




A - Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation

⚠ - Electrical and water supplies are recommended to be placed in adjacent cabinetry.




Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

PROUD CUTOUT DIMENSIONS

Front View



Side View



A - Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation

ⓘ - Electrical and water supplies are recommended to be placed in adjacent cabinetry.

Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.