

ESW 7010 - Graphite Grey 24" Handless Warming Drawer - VitroLine

Features:

- Keep food or plates and cups warm
- Fits 6 place settings
- Non-Slip Liner
- Control Panel with sensor controls




MATERIAL

11794740


SPECIFICATIONS	
Overall Unit Dimensions	23 ⁷ / ₁₆ " (595 mm) W x 5 ⁹ / ₁₆ " (141 mm) H x 22 ¹ / ₂ " (572 mm) D
Niche	
Minimum Cabinet Niche Opening	22 ¹ / ₈ " (562 mm) W x 5 ⁹ / ₁₆ " (142 mm) H x 24" (610 mm) D
Electrical	
Electrical Requirements	120V, 60Hz, 15 Amps
Power Cord	NEMA 5-15 plug, 5 ft (1.52 m)
Shipping	
Shipping Weight	45 lbs (20.3 kg)
Shipping Dimensions	26 ³ / ₈ " (665 mm) W x 8 ¹ / ₂ " (215 mm) H x 25 ⁵ / ₈ " (650 mm) D

PRODUCT DIMENSIONS





FLUSH CUTOUT DIMENSIONS

Front View



Side View




A - Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation

⚠ - Electrical and water supplies are recommended to be placed in adjacent cabinetry.



Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

PROUD CUTOUT DIMENSIONS

Front View



Side View



A - Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation

ⓘ - Electrical and water supplies are recommended to be placed in adjacent cabinetry.

Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.